

## Blast freezer room Metos MBF202SB-RIF



### Produktdata

---

Varenummer	4240771
Varenavn	Blast freezer room Metos MBF202SB-RIF
Størrelse	1500 × 1530 × 2100 mm
Vægt	500,000 kg
Kapasitet	180kg/+70...+3,120kg/+70...-18
Teknisk informasjon	400 V, 16 A, 6,188 kW, 3NPE, 50 Hz
Kjølemedie	R452A/R448A/R449A
Kjøleeffekt, W	9290
Fordampningstemperatur	-25
Kondenseringstemperatur	+45

### Beskrivelse

- suitable for 2 GN 1/1 -trolleys or for one GN2/1 trolley
- blast chilling, freezing and thawing with controlled temperature and humidity
- roll-in model with floor
- right handed door
- inner depth 1150 mm
- net height of door 1820 mm
- stainless steel construction
- insulation made of high density polyurethane foam, thickness 80 mm
- Copper-aluminum evaporator with cataphoresis anti-corrosion



treatment

- high-ventilation evaporator to ensure the highest efficiency of the cooling system
- anti-condensation resistance, placed on the door under the gasket
- rounded inner corners helps the cleaning
- inner bumpers in stainless steel
- hinged door with gasket and closing ramp system
- vertical ergonomic door handle with magnetic closure
- heated core probe, with 4 measuring points
- standard active chamber sterilization system with active ions (HI-GIENE) activated by the control
- Pre-cooling function
- PLUS functions
- adjustment of the speed of the evaporator fans
- 7" high-definition IPS capacitive TOUCH display, easy to use
- USB port for HACCP data download, recipes and software update
- possibility to program and save several customized chilling programs
- after chilling process the machine automatically continues on the conservation phase
- circuit breaker for compressor protection
- electrical connections positioned frontally in the panel equipped with safety locks
- for remote cooling, the cooling unit is not included in the delivery
- cooling capacity 150 kg
- freezing capacity 100 kg
- the declared capacities (kg / h) are nominal and are not achievable with all foods or under all conditions.
- refrigeration capacity 9030 W